



BRUSH OVERVIEW







32 AND 42 SERIES



WWW.TIMESAVERSINT.COM

TIMESAVERS ORIGINALS OVERVIEW BRUSHES 32 RB SERIES



	DESCRIPTION	PART NUMBER	APPLICATION
	Aluminium Oxide Deburring brush Grit 80 Grit 100 Grit 120 Grit 150 Grit 180 Grit 240	599344 599300 599333 599346 599299 599347	Medium edge rounding and finish grinding for steel, aluminium and stainless steel (3 & 5 mm width flaps)
	Silicon Carbide Deburring brush Grit 180	599334	Medium edge rounding and finish grinding for aluminium (3 & 5 mm width flaps)
	Cross Flex Deburring brush Grit 80 Grit 180 Grit 240	599348 599335 599349	Directional finish and removal of milling marks for all types of metal (3 & 5 mm width flaps)
	Ceramic Deburring brush Grit 80 Grit 100 Grit 120	599350 599351 599352	Strong edge rounding (3 & 5 mm width flaps)
	Cutting Skin Oxide Removal brush	460370	Brush for optimal oxide skin removal
	Flange assy set	460623	4 x Flanges, 16 x bolts, mounting instruction

REQUESTS & ORDERS: PARTS@TIMESAVERSINT.COM

Please mention your machine serial number with your request or order



ONLY USE TIMESAVERS ORIGINALS SPARE PARTS FOR THE BEST RESULTS EVERY TIME

ORDER? QUESTIONS? CHECK WWW.TIMESAVERSINT.COM **MAIL** PARTS@TIMESAVERSINT.COM **TEL** +31(0)113 238911

TIMESAVERS ORIGINALS OVERVIEW BRUSHES 42 RB SERIES 1350



DESCRIPTION	PART NUMBER	APPLICATION
	<p>Aluminium Oxide Deburring brush Grit 60 5&5 mm 599316 Grit 80 5&5 mm 599325 Grit 100 5&5 mm 599317 Grit 100 3&5 mm 599308 Grit 120 3&5 mm 599306 Grit 180 3&5 mm 599305 Grit 400 3&5 mm 599326</p>	<p>Medium edge rounding and finish grinding by 5 & 5 mm width flaps, for material with smaller inserts we advise 3 & 5 mm width flaps</p>
	<p>Silicon Carbide Deburring brush Grit 180 5&5 mm 599303 Grit 180 3&5 mm 599341</p>	<p>Medium edge rounding and finish grinding for aluminium (3 & 5 and 5 & 5 mm width flaps)</p>
	<p>Cross Flex Aluminium Oxide Deburring brush Grit 80 599342 Grit 180 599338 Grit 240 599339</p>	<p>Non-directional finish and removal of milling marks for all types of metal (3 & 5 mm width flaps)</p>
	<p>Ceramic Deburring brush Grit 80 599336 Grit 100 599337 Grit 120 599343</p>	<p>Strong edge rounding (5 & 5 mm width flaps)</p>
	<p>Cutting Skin Oxide Removal brush (4 pieces) 459667 (8 pieces) 460368</p>	<p>Brush for optimal oxide skin removal</p>
	<p>Cutting Skin Oxide Removal brush Adjustable (4 pieces) 460076</p>	<p>Adjustable brush for optimal oxide skin removal</p>
	<p>Korfil Brush Grit 120 599329</p>	<p>Brush for aluminium with deep pockets and push-throughs</p>
	<p>Flange assy Orange special materials 460389 Flange assy Red aluminium 460388 Flange assy Blue steel 460387 Flange assy White stainless 460386</p>	<p>8 x Flanges, 32 x bolts, 16 x colored rings, mounting instruction</p>

REQUESTS & ORDERS: PARTS@TIMESAVERSINT.COM








PLEASE MENTION YOUR MACHINE SERIAL NUMBER WITH YOUR REQUEST OR ORDER.

ORDER? QUESTIONS? CHECK WWW.TIMESAVERSINT.COM MAIL PARTS@TIMESAVERSINT.COM TEL +31(0)113 238911



TIMESAVERS ORIGINALS OVERVIEW BRUSHES 42 RB SERIES 1600



DESCRIPTION	PART NUMBER	APPLICATION
	<p>Aluminium Oxide Deburring brush Grit 60 5&5 mm 599358 Grit 80 5&5 mm 599359 Grit 100 5&5 mm 599356 Grit 100 3&5 mm 599360 Grit 120 3&5 mm 599361 Grit 180 3&5 mm 599355 Grit 400 3&5 mm 599362</p>	<p>Medium edge rounding and finish grinding by 5 & 5 mm width flaps, for material with smaller inserts we advise 3 & 5 mm width flaps.</p>
	<p>Silicon Carbide Deburring brush Grit 180 5&5 mm 599363 Grit 180 3&5 mm 599364</p>	<p>Medium edge rounding and finish grinding for aluminium (3 & 5 and 5 & 5 mm width flaps)</p>
	<p>Cross Flex Aluminium Oxide Deburring brush Grit 80 599367 Grit 180 599368 Grit 240 599369</p>	<p>Non-directional finish and removal of milling marks for all types of metal (3 & 5 mm width flaps)</p>
	<p>Ceramic Deburring brush Grit 80 599365 Grit 100 599357 Grit 120 599366</p>	<p>Strong edge rounding (5 mm width flaps)</p>
	<p>Cutting Skin Oxide Removal brush (4 pieces) 460686 (8 pieces) 460687</p>	<p>Brush for optimal oxide skin removal</p>
	<p>Cutting Skin Oxide Removal brush Adjustable (4 pieces) 460673</p>	<p>Adjustable brush for optimal oxide skin removal</p>
	<p>Flange assy Orange special materials 460389 Flange assy Red aluminium 460388 Flange assy Blue steel 460387 Flange assy White stainless 460386</p>	<p>8 x Flanges, 32 x bolts, 16 x colored rings, mounting instruction</p>

REQUESTS & ORDERS: PARTS@TIMESAVERSINT.COM

PLEASE MENTION YOUR MACHINE SERIAL NUMBER WITH YOUR REQUEST OR ORDER.

ORDER? QUESTIONS? CHECK WWW.TIMESAVERSINT.COM MAIL PARTS@TIMESAVERSINT.COM TEL +31(0)113 238911

